

6

5



4

3

2

1





REV.	DESCRIPTION	DATE	DWG.	CHKD
0	PROPOSED	13/10/07	B.K	T.H



NOTES:

- MATERIAL:  
HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0  
TERMINAL: COPPER ALLOY  
SOLDER PEG: COPPER ALLOY
- FINISH:  
TERMINAL:  
CONTACT AREA: SEE CHARTS  
SOLDERING AREA: SEE CHARTS  
UNDER PL.: NICKEL PL. 50 μm THK MIN.
- THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS PER DIRECTIVE 2002/95/EC FOR RoHS COMPLIANT.

KEY M	Au: 30 μm	CA1024-067B03
	Au: 15 μm	CA1024-067B02
KEY ID	GOLD FLASH	CA1024-067B01
	FINISH	PART NO.

FINISH		NAME		PART NO.	
MATERIAL	NET WEIGHT	COLOR	GENERAL TOLERANCE	UNIT: mm	
*****	***g	BLACK	±0.2 ±3°	UNIT: mm	
FIN. & TREAT	GROSS WEIGHT	SCALE	SIZE	 	
*****	***g	5:1	A3	 	
CUSTOMER	PART NO.	CA1024-067B**		REV.	0
*****	*****	*****-***-**-**		REV.	*
CUSTOMER PART NO.	PROPOSAL NO.	*****		(SHEET 1 OF 4)	
*****	*****	NGFF CONN. 3H KEY ID M TYPE		*****	
APP. 13/10/07	CHKD 13/10/07	DWG. 13/10/07	T.HASHIMOTO T.HASHIMOTO B.KA		

6

5


4

3



2

1

REV.	DESCRIPTION	DATE	DWG.	CHKD
	SEE SHEET 1 OF 4			



KEY ID "M"  
RECOMMENDED P.C. BOARD LAYOUT



FINISH		NAME		PART NO.	
MATERIAL	NET WEIGHT	COLOR	GENERAL TOLERANCE	UNIT:mm	
*****	***g	BLACK	±0.2 ±3°	REV. 0	
FIN.&TREAT	GROSS WEIGHT	SCALE	SIZE	REV. *	
*****	***g	5:1	A3	CA1024-067B**	
CUSTOMER	PART NO.		PROPOSAL NO.		
*****	*****		*****-***-**-**		
CUSTOMER PART NO.	NAME		(SHEET 2 OF 4)		
*****	NGFF CONN. 3H KEY ID M TYPE		*****		
APP. 13/10/07	CHKD 13/10/07	DWG. 13/10/07			
T.HASHIMOTO	T.HASHIMOTO	B.KA			

6

5


4

3


2

1


REV.	DESCRIPTION	DATE	DWG.	CHKD
	SEE SHEET 1 OF 4			



FRONT SIDE



KEY ID "M"  
RECOMMENDED MODULE LAYOUT



BACK SIDE

GENERAL TOLERANCE ±0.15

FINISH		NAME		PART NO.	
MATERIAL	NET WEIGHT	COLOR	GENERAL TOLERANCE	UNIT:mm	
*****	***g	BLACK	±0.2 ±3°	□ ⊕	
FIN.&TREAT	GROSS WEIGHT	SCALE	SIZE		
*****	***g	5:1	A3		
CUSTOMER			PART NO.	REV.	
*****			CA1024-067B**	0	
CUSTOMER PART NO.			PROPOSAL NO.	REV.	
*****			****-****-**-**	*	
美星鴻科技股份有限公司 MSH TECHNOLOGY INC.			NAME NGFF CONN. 3H KEY ID M TYPE (SHEET 3 OF 4)		
APP. '13/10/07	CHKD '13/10/07	DWG. '13/10/07	*****		
T.HASHIMOTO	T.HASHIMOTO	B.KA			

(CUSTOMER DRAWING)

6

5

4




3

2


1

REV.	DESCRIPTION	DATE	DWG.	CHKD
	SEE SHEET 1 OF 4			


DIRECTION OFF TOP OF REEL



SECT B-B



SECT A-A



NOTES:

1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERED TO THIS DRAWING.
2. GENERAL TOLERANCE : ±0.5 , ±3°
3. PACKAGED IN EMBOSS TAPE AND PLASTIC REEL 1200 PCS PRE REEL.

FINISH		NAME		PART NO.	
MATERIAL	*****	NET WEIGHT	***g	COLOR	BLACK
FIN.&TREAT	*****	GROSS WEIGHT	***g	SCALE	5:1
CUSTOMER	*****	CUSTOMER PART NO.	*****	GENERAL TOLERANCE	±0.2 ±3°
				UNIT:mm	
				SIZE	A3
				PART NO.	CA1024-067B**
				PROPOSAL NO.	***-**-**-**
				NAME	NGFF CONN. 3H KEY ID M TYPE
				(SHEET 4 OF 4)	
APP.	T.HASHIMOTO	CHKD	T.HASHIMOTO	DWG.	B.KA
				*****	

(CUSTOMER DRAWING)